

CUI
AIR NATIONAL GUARD
Joint Force Headquarters
187th FIGHTER WING, MONTGOMERY, ALABAMA
117th AIR REFUELING WING, BIRMINGHAM, ALABAMA
On-Board Reassignment Opportunity

ACTIVE GUARD RESERVE (AGR)-MILITARY VACANCY ANNOUNCEMENT # 26-50

OPEN DATE: 24 April 2026

EXPIRATION DATE: 24 May 2026

OPEN TO: Nationwide

Number of Positions: 1
Position Title: ELECTRIC POWER PRODUCTION
Func Code: 44M000
PEC#: 59297G
UMDA Position #: 113174634
AFSC: 3E0X2
Grade: E3-E5
Security Clearance: Secret
Unit/Duty Location: 187th Civil Engineering Squadron
Selecting Official: Lt Col Adam Sanders
HRO Remote: MSgt Vernon Harris (334-394-7464)

APPLICATION REQUIREMENTS

Signed NGB Form 34-1, [NGB Forms](#)

Current Report of Individual Personnel (RIP): Obtain from Virtual Military Personnel Flight (vMPF)

AF Form 422: Must be signed and verified within 6 months from your Medical Group. Memorandums in lieu of signed 422 will not be accepted

Air Force Fitness Management System II (AFFMS II) Fitness Report: Must be Current and passing

AGR Eligibility Checklist: All applications must be submitted with a completed AGR Eligibility Checklist. All applications must be submitted to MDM org box by closing date

Your unit's HRO Remote or FSS Designee must complete/sign this checklist PRIOR to final submission.

Final Submission must be sent to MDM by the applicant, not the HRO Remote by closing date of job.

Email completed application packages to:

JFHQ-AL MDM
ATTN: Capt Fredrika Sanders

ng.al.alarng.list.j1-air-mdm@army.mil

ELECTRICAL POWER PRODUCTION

(Changed 30 Apr 22)

1.Specialty Summary. Installs, removes, operates, maintains, and repairs electrical power generating and control systems, aircraft arresting systems, and associated equipment. Related DoD Occupational Subgroup: 166200.

2.Duties and Responsibilities:2.1. Installs, removes, and operates electrical power generating and control systems, automatic transfer switches, aircraft arresting systems, and associated equipment. Checks equipment for serviceability. Positions equipment such as gasoline and diesel engines, generators, switchgears, air compressors, and other power generating auxiliary equipment. Installs, positions, rewinds, and pretensions aircraft arresting systems. Certifies aircraft arresting systems as required. Checks installed equipment to ensure compliance with publications, policies, and directives. Inspects, tests, and services component systems such as safety, fuel, lubrication, cooling, air pressure, pumps, regulators, governors, and accessory equipment. Observes and interprets instruments such as ammeters, voltmeters, frequency meters, synchro scopes, automatic temperature and pressure recorders, and engine oil, fuel, and coolant gauges. Adjusts engine generator systems to maintain proper voltage, current frequency, and synchronization. Synchronizes multigenerators. Operates high and low voltage switches, circuit breakers, rheostats, and other controls on switchgear and distribution panels. Performs electrical power control and distribution functions.2.2. Maintains, modifies, and repairs electrical power generating and control systems, automatic transfer switches, aircraft arresting systems, and associated equipment. Performs inspections and interprets findings to determine corrective action. Identifies and records engine and generator malfunctions. Uses precision test equipment, troubleshoots malfunctions, and inspects parts for excessive wear and other conditions. Removes, repairs, and replaces defective power generating equipment components. Performs corrosion control. Inspects and replaces gauges and meters. Maintains aircraft arresting systems, including electrical, hydraulic, rewind, and pneumatic systems, and other electronic components. Bench checks components and subassemblies. Tests and calibrates repaired items. Reviews performance data and maintenance records to determine adequacy of maintenance. Interprets data related to electrical power generating and aircraft arresting systems to ensure overall mission success.2.3. Reviews and advises on projects associated with electrical power generating and control systems, automatic transfer switches, aircraft arresting systems, and associated equipment. Reviews layout drawings and wiring diagrams. Ensures new construction meets proper operating characteristics of equipment. Establishes maintenance and operating procedures to ensure maximum efficiency.2.4. Maintains records. Posts entries on operation, inspection, and maintenance records. Records meter readings, wear and alignment measurements, fuel consumption, and other data in performance logs. Furnishes information for reports and recommends changes to correct defective equipment or improve operating procedures. Complies with environmental policies..

3.Specialty Qualifications:3.1. Knowledge. Knowledge is mandatory of: principles of electronics and electricity, including generation, conversion, transformation, distribution, and utilization; types, capacity, and purpose of high and low voltage circuits, circuit breakers, switches, fuses, regulators, relays, instruments, and meters associated with electric generation and distribution; interpreting instrument and meter readings; wiring diagrams, schematics, drawings, and technical publications; techniques of operating and maintaining internal combustion engines, generators, generating plants, distribution panels, and accessory equipment; repair and maintenance of aircraft arresting systems; use and purpose of test equipment; safety rules and practices; environmental policies; principles of management; and operation and repair of electrical power production systems.3.2. Training. For award of AFSC 3E0X2, completion of a basic electrical power production course is mandatory.3.3. For entry into this specialty:3.3.1. Must possess a valid state driver's license to operate government motor vehicles (GMV) in accordance with AFI 24-301, Vehicle Operations.3.3.2. For entry, award, and retention, normal color vision as defined in AFI 48-123, Medical Examinations and Standards.

ELIGIBILITY REQUIREMENTS FOR ENTRY INTO THE AGR PROGRAM:

Must be a member or eligible to become a member of the Alabama Air National Guard.
Member will be required to hold a compatible military assignment in the unit they are hired to support.
Member’s military grade will not exceed the maximum military duty grade authorized on the Unit Manning Document (UMD) for the position.
Member must meet the physical qualifications outlined in, Medical Examination and Standards (DAFMAN 48-123), Attachment 2 before being placed on an AGR tour.
Member must have retain-ability to complete the tour of military duty.
Member must not be eligible for or receiving a federal retirement annuity.
Member must comply with standards outlined in DAFMAN 36-2905, Fitness Program to be eligible for entry into the AGR program. Member must meet all eligibility criteria in ANGI 36-101, The Air National Guard Active Guard and Reserve (AGR) Program.
Member must hold required AFSC or be eligible for retraining (if applicable) **and meet all eligibility criteria in AFECD/AFOCD.**

ADDITIONAL DUTIES:

AGR members will participate with their unit of assignment during Regular Scheduled Drill (RSD). AGR tour lengths in the State of Alabama are at the discretion of the Squadron Commander.
Initial tours will not exceed 6 years. Follow-on tours will be from 1 to 6 years, per ANGI 36-101
To be considered for this position you must meet all minimum AFSC requirements to include the minimum ASVAB qualifying score. Scores are reflected on your personnel RIP.
If your ASVAB score does not meet the minimum required IAW AFECD contact your servicing MPF.
You have the option to retake the test.
You must schedule your test date and receive your new scores prior to the announcement closing date. Selectee will be required to participate in the Direct Deposit Electronics Funds Transfer program.
A law enforcement background check may be required prior to appointment to this position.
By submitting a resume or application for this position, you authorize this agency to accomplish the check

APPLICATION INSTRUCTIONS

APPLICATIONS MUST BE SUBMITTED FOLLOWING THE INSTRUCTIONS ON THIS ANNOUNCEMENT.

******** INCOMPLETE APPLICATIONS WILL NOT BE PROCESSED ********

WRITTEN EXPLANATION IS REQUIRED FOR ANY MISSING DOCUMENTS

Current AGR members and those who wish to become an AGR must submit the following:

AGR Eligibility Checklist found in ANGI 36-101 ([see below](#)).

NGB Form 34-1, Application for Active Guard/Reserve (AGR) Position, Form Version Dated 11 November 2013 Announcement number and position title must be annotated on the form

Download the current form version from;

<http://www.ngbpd.c.ngb.army.mil/forms/Adobe%20PDF-F/ngb34-1.pdf>

Current Report of Individual Personnel (RIP). Documents must show your ASVAB scores. RIP can be obtained from the servicing Force Support Squadron (FSS)

In lieu of a RIP, applicant may provide a printout from the virtual MPF (vMPF)

Select 'Record Review', and then 'Print/View All Pages'

Copy of current passing physical fitness assessment. (From AF Portal, <https://www.my.af.mil/>)

AF Form 422, Physical Profile Serial Report <https://asims.afms.mil/imr/MyIMR.aspx> (CURRENT within 5 years, validated within 12 months, working copy is acceptable)

ALANG - Air Technicians interested in converting to AGR status:

Selection for the advertised position does not constitute acceptance into the AGR program.

Once notification of a selection is made, the individual is required to submit a request for AGR medical clearance through the Medical Group, to the State Air Surgeon. The State Air Surgeon will evaluate the request and notify MDG of the member's medical clearance approval or denial.

The information below was taken from ANGI 36-101, 21 April 2022.

5.3 Grade. To accept an AGR position, an applicant's military grade cannot exceed the maximum military authorized grade on the UMD for the AGR position. Reference paragraph 6.6 for proper assignment to position/unit. Enlisted Airmen who are voluntarily assigned to a position which would cause an overgrade must indicate in writing a willingness to be administratively reduced in grade in accordance with AFI 36-2502, Enlisted Airman Promotion/Demotion Programs, when assigned to the position. Acceptance of demotion must be in writing and included in the assignment application package.

5.4 Commissioning of Enlisted Member. Enlisted personnel applying for officer positions must be eligible for commissioning upon application for AGR duty. Assignment to the AGR tour will not become effective until the individual receives a commission in the ANG and as a Reserve of the Air Force and has completed formal training for which an AFSC has been awarded

5.5. Air Force Fitness Standards. AGR Airmen are subject to the provisions of AFMAN 36-2905, *Air Force Fitness Program*. Airmen must meet the minimum requirements for each fitness component in addition to scoring an overall composite of 75 or higher for entry into the AGR program. For members with a documented DLC which prohibits them from performing one or more components of the Physical Fitness Assessment (PFA), an overall "Pass" rating is required and any DLC must be resolved prior to accession.

5.6 Security Clearance. AGRs must have a current favorable adjudicated personnel security investigation that is commensurate with their currently assigned AFSC. Local security representatives can provide verification of security clearance information using the Defense Information System for Security (DISS)

5.7. Separated for Cause. To be accessed in the AGR program, an individual must not have been previously separated for cause from a previous Reserve Component AGR tour or from any Active Component. Requests for waiver to this policy will be annotated on the AF Form 679 and routed to NGB/A1PP.

5.8. Retainability for an AGR Assignment. Enlisted personnel must obtain sufficient retainability to fulfill an AGR assignment.

5.9. Sanctuary. It is not the intent of the AGR program to bring non-career applicants into the sanctuary zone (18 to 20 years of TAFMS). Anyone whose order, whether active duty (AD) or full-time National Guard duty (FTNGD) other than for training, places them at 18 years or more of TAFMS will require a signed, approved sanctuary waiver in accordance with DAFI 36-2110, *Total Force Assignments*.

5.10. Inability to attain 20 years TAFMS. AGR applicants should be able to attain 20 years of TAFMS in the AGR career program. Waiver authority of this requirement is The Adjutant General, Commanding General, or designee. Individuals selected for AGR tours that cannot attain 20 years of TAFMS prior to reaching mandatory separation must complete the Statement of Understanding contained in Attachment 3. The HRO will maintain the completed, signed Statement of Understanding.

5.11. Medical Requirements. Applicants for permanent, occasional or AGR deployment backfill tours must meet the requirements outlined in [Chapter 12](#).